ELSEVIER

Peptides, Vol. 17, No. 8, pp. III–XXVIII, 1996
Copyright © 1996 Elsevier Science Inc.
Printed in the USA. All rights reserved
0196-9781/96 $15.00 + .00

PEPTIDES CONTENTS
VOLUME 17, 1996

CONTENTS VOLUME 17, NUMBER 1, 1996

Articles

Presence and distribution of a new neuropeptide, secretoneurin, in human retina.
OVERDICK B., R. KIRCHMAIR, J. MARKSTEINER, R. FISCHER-COLBRIE, J. TROGER, H. WINKLER and D A. SARIA 1

Studies on the ileum-contracting mechanisms and identification as a complement C3a receptor agonist of oryzatensin, a bioactive peptide derived from rice albumin.
TAKAHASHI, M., S. MORIGUCHI, M. IKENO, S. KONO, K. OHATA, H. USUI, K. KURAHASHI, R. SASAKI and M. YOSHIKAWA 5

Hydrolysis of *N*-formylmethionyl chemotactic peptides by endopeptidase 24.11 and endopeptidase 24.15.
LESSER, M., FUNG, P. L. ALMENOFF, C. ROSENBAUM and C. CARDOZO 13

Purification and sequencing of neuropeptides from identified neurons in the marine molluse, *Tritonia*.
LLOYD, P. E., G. A. PHARES, N. E. PHILLIPS and A. O. D. WILLOWS 17

Substance P enhances antigen-evoked mediator release from human nasal mucosa
BAUMGARTEN, D. R., A. WITZEL, J. KLEINE-TEBBE and G. KUNKEL 25

Peptidase inhibitors improve recovery of substance P and calcitonin gene-related peptide release from rat spinal cord slices.
CHEN, J. J., L. A. BARBER, J. DYMSHITZ and M. R. VASKO 31

Vascoconstrictive effects of native tachykinins in the rainbow trout, *Oncorhynchus mykiss*.
KÅGSTRÖM, J., S. HOLMGREN, K. R. OLSON, J. M. CONLON and J. JENSEN .. 39

Differential modulation of prohormone convertase mRNA by second messenger activators in two cholecystokinin-producing cell lines.
MANIA-FARNELL, B. L., I. BOTROS, R. DAY and T. P. DAVIS 47

Ontogeny and molecular weight of immunoreactive arginine vasopressin and corticotropin-releasing factor in the ovine fetal hypothalamus.
SAQUID, C. J. and C. E. WOOD 55

Interactions between vasopressin and food restriction on stress-induced analgesia.
WIDEMAN, C. H., H. M. MURPHY and S. B. McCARTNEY 63

Evidence for glucocorticoid regulation of the rat vasopressin V_{1a} receptor gene.
WATTERS, J. J., M. W. SWANK, C. W. WILKINSON and D. M. DORSA 67

A comparative study of immunomodulation produced by in vitro exposure to delta-opioid receptor agonist peptides.
HOUSE, R. V., P. T. THOMAS and H. N. BHARGAVA 75

Enhanced antiopiate activity and enzyme resistance in a peptidomimetic of FMRFamide containing *E*-2,3-methanomethionine and *E*-2,3-methanophenylalanine.
MALIN, D. H., J. R. LAKE, L. S. McDERMITT, D. A. SMITH, W. E. WITHERSPOON, J. A. JONES, M. D. SCHUMANN, K. PAYZA, K.-K. HO and K. BURGESS 83

Atrial natriuretic factor increases peritoneal dialysis efficiency in nephtectomized rats.
BIANCIOTTI, L. G., M. S. VATTA, L. A. BENGOCHEA, A. M. PUYO and B. E. FERNANDEZ 87

Arginine vasopressin disposition in the conscious rabbit.
LÉCRIVAIN, A., V. PICHETTE, H. ONG, W. HOMSY and P. DU SOUICH 93

Binding of CNP-22 and CNP-53 to cultured mouse astrocytes and effects on cyclic GMP.
YEUNG, V. T. F., S. K. S. HO, M. G. NICHOLLS and C. S. COCKRAM 101

Simultaneous administration of neuromedin B-10 and gastrin-releasing peptide(1–27) reproduces the satiating and microstructural effects of bombesin.
STRATFORD, T. R., J. GIBBS and G. P. SMITH 107

Bombesin-like peptide receptors in human bronchial epithelial cells.
KANE, M. A., M. TOI-SCOTT, G. L. JOHNSON, K. K. KELLEY, D. BOOSE and A. ESCOBEDO-MORSE 111

Attenuation of the anorectic effects of glucagon, cholecystokinin, and bombesin by the amylin receptor antagonist CGRP(8–37).
LUTZ, T. A., E. DEL PRETE, M. M. SZABADY and E. SCHARRER 119

Development of a specific radioimmunoassay for neuropeptide K: Its application to Siberian hamster tissues.
DEBELJUK, L. and A. BARTKE 125

Thyrotropin-releasing hormone (TRH) has independent excitatory and modulatory actions on lamina IX neurons of lumbosacral spinal cord slices from adult rats.
KOW, L.-M. and D. W. PFAFF 131

Neurotensin and tyrosine hydroxylase in the tuberoinfundibular system of the guinea pig hypothalamus with special emphasis to lactation status.
MARCOS, P., M. CORIO, R. COVEÑAS and G. TRAMU 139

Biosynthesis of neuropeptide Y in porcine tissues and generation of *N*-terminal fragments in neuroblastoma cell lines.
O'HARE, M. M. T. and T. W. SCHWARTZ 147

Indomethacin does not alter the effect of pentagastrin on rat gastric defense mechanisms.
TANAKA, S. and J. D. KAUNITZ 155

Release of calcitonin gene-related peptide in guinea pig inferior mesenteric ganglion.
MA, R. C. and J. H. SZURSZEWSKI 161

Behavioral effects of α-MSH and MCH after central administration in the female rat.
GONZALEZ, M. I., S. VAZIRI and C. A. WILSON 171

Brief Communication

Molecular variants of epidermal growth factor in malignant astrocytoma.
RAO, R. K., M. SHANTARAM, A. R. AROOR, A. RAJA, T. P. DAVIS and A. RAO 179

CONTENTS VOLUME 17, NUMBER 2, 1996

Articles

Aspergillus fumigatus peptides differentially express Th_1 and Th_2 cytokines.
KURUP, V. P., V. HARI, J. GUO, P. S. MURALI, A. RESNICK, M. KRISHNAN and J. N. FINK 183

Immunosuppressive activity of hymenistatin I.
CEBRAT, M., Z. WIECZOREK and I. Z. SIEMION 191

Amino acid sequence of a peptide with molt-inhibiting activity from the kuruma prawn _Penaeus japonicus_.
YANG, W.-J., K. AIDA, A. TERAUCHI, H. SONOBE and H. NAGASAWA 197

Isolation, sequence, and bioactivity of chicken motilin.
DE CLERCQ, P., I. DEPOORTERE, M. MACIELAG, A. VANDERMEERS, M.-C. VANDERMEERS–PIRET and T. L. PEETERS 203

Calcitonin gene-related peptide innervation of the rat hepatobiliary system.
GOEHLER, L. E. and C. STERNINI 209

Modulation of murine peritoneal macrophage functions by gastrin.
DE LA FUENTE, M., J. DRUMMOND, M. DEL RIO, M. CARRASCO and A. HERNANZ 219

Change in subcellular localization of gastrin-like immunoreactivity in epithelial cells of rat duodenum induced by carbachol.
OKUMIYA, K., K. MATSUBAYASHI, T. MAEDA and M. FUJIMIYA 225

Effect of antagonism of the NMDA receptor on tolerance to [D-Pen^2,D-Pen^5]enkephalin, a δ_1-opioid receptor agonist.
ZHAO, G.-M. and H. N. BHARGAVA 233

Opioid receptor subtype control of galanin-induced feeding.
BARTON, C., D. A. YORK and G. A. BRAY 237

Effect of dermorphin on thermoregulation in rats at selected ambient temperatures.
EMEL'YANOVA, T. G., A. B. USENKO, V. I. DEIGIN, E. P. YAROVA and A. A. KAMENSKY 241

Periventricular penetration and disappearance of ICV Tyr-MIF-1, DAMGO, tyrosine, and albumin.
MANESS, L. M., W. A. BANKS, J. E. ZADINA and A. J. KASTIN 247

Solubilization of oxytocin receptors in porcine renal LLC-PK_1 cell membranes.
FLANAGAN–CATO, L. M., C. N. MOGA and S. J. FLUHARTY 251

Oxytocin is hydrolyzed by an enzyme in human placenta that is identical to the oxytocinase of pregnancy serum.
NARUKI, M., S. MIZUTANI, K. GOTO, M. TSUJIMOTO, H. NAKAZATO, A. ITAKURA, K. MIZUNO, O. KURAUCHI, F. KIKKAWA and Y. TOMODA 257

Evidence for regulatory mechanisms maintaining testosterone-dependent AVP concentrations in terminal regions.
MAGNUSSON, K. and B. J. MEYERSON 263

Interaction of α-MSH and substance P with interfaces containing gangliosides.
GONZÁLEZ, M., N. LEZCANO, M. E. CELIS and G. D. FIDELIO 269

Effects of chronic substance P treatment and intracranial fetal grafts on learning after hippocampal kainic acid lesions.
SPRICK, U., R. U. HASENÖHRL, J. KRAUTH, K. KLAPDOR and J. P. HUSTON 275

Angiotensin II regulates both adrenocortical and adrenomedullary function in isolated perfused pig adrenals.
BREIDERT, M., S. R. BORNSTEIN, M. EHRHART–BORNSTEIN, W. A. SCHERBAUM and J. J. HOLST 287

Effects of TRH and atropine on induction and duration of anesthesia with propofol in rats.
LARSSON, J. E., L.-O. D. KOSKINEN and G. WAHLSTRÖM 293

Relaxing effects of vasoactive intestinal peptide (VIP) on the contractile actions of endothelin-3, histamine, and acetylcholine in isolated guinea pig tracheal smooth muscle with or without epithelium.
UZUNER, K., N. TUNÇEL and Y. AYDIN 299

Leptin enters the brain by a saturable system independent of insulin.
BANKS, W. A., A. J. KASTIN, W. HUANG, J. B. JASPAN and L. M. MANESS 305

A nonpeptidal peptidomimetic agonist of the insect FLRFamide myosuppressin family.
NACHMAN, R. J., E. H. OLENDER, V. A. ROBERTS, G. M. HOLMAN and D. YAMAMOTO 313

In vitro metabolism of an insect neuropeptide by neural membrane preparations from *Lymantria dispar*.
MASLER, E. P., R. M. WAGNER and E. S. KOVALEVA 321

Reviews

Neuropeptides implicated in the control of diuresis in insects.
COAST, G. M. 327

Pheromone biosynthesis activating neuropeptides: Functions and chemistry.
TEAL, P. E. A., R. L. ABERNATHY, R. J. NACHMAN, N. FANG, J. A. MEREDITH and J. H. TUMLINSON 337

Brief Communications

Synergic action of gangliosides on α-MSH-induced cyclic AMP levels in rat brain slices.
LEZCANO, N. E., M. GONZÁLEZ, G. D. FIDELIO and M. E. CELIS 345

Characterization of a putative α-MSH antagonist 153N-6 at melanocortin receptor subtypes by radioligand binding.
CHHAJLANI, V. 349

Neuropeptide FF reduces food intake in rats.
MURASE, T., H. ARIMA, K. KONDO and Y. OISO 353

Comparison of the satiating effect of the CCK_A receptor agonist A71378 with CCK-8S.
VOITS, M., J.-P. VOIGT, M. BOOMGAARDEN, P. HENKLEIN and H. FINK 355

CONTENTS VOLUME 17, NUMBER 3, 1996

Articles

Differences in the neuropeptide Y-like immunoreactivity of the plasma and platelets of human volunteers and depressed patients.
NILSSON, C., G. KARLSSON, K. BLENNOW, M. HEILIG and R. EKMAN 359

Release of serotonin from RBL-2H3 cells by the *Escherichia coli* peptide toxin STb.
HARVILLE, B. A. and L. A. DREYFUS 363

Complete primary structure of the molt-inhibiting hormone (MIH) of the Mexican crayfish *Procambarus bouvieri* (Ortmann).
AGUILAR, M. B., R. FALCHETTO, J. SHABANOWITZ, D. F. HUNT and A. HUBERMAN 367

Influence of methylation or substitution of the histidine of HVFLRFamide on biological activity and binding of locust oviduct.
LANGE, A. B., Z. WANG, I. ORCHARD and A. N. STARRATT 375

Structure–activity relationships of KNEFIRFamide (AF1), a nematode FMRFamide-related peptide, on *Ascaris suum* muscle.
BOWMAN, J. W., A. R. FRIEDMAN, D. P. THOMPSON, A. K. ICHHPURANI, M. F. KELLMAN, N. MARKS, A. G. MAULE and T. G. GEARY 381

Downregulation of mu-opioid binding sites following chronic administration of neuropeptide FF (NPFF) and morphine.
GOODMAN, C. B., B. EMILIEN, K. BECKETTS, J. L. CADET and R. B. ROTHMAN 389

Species differences in the localization of neuropeptide FF receptors in rodent and lagomorph brain and spinal cord.
DUPOUY, V., A. PUGET, A. ESCHALIER and J.-M. ZAJAC 399

Kyotorphin synthetase activity in rat adrenal glands and spinal cord.
KAWABATA, A., H. MUGURUMA, M. TANAKA and H. TAKAGI 407

Kappa opioids exert a strong antiproliferative effect on PC12 rat pheochromocytoma cells.
VENIHAKI, M., A. GRAVANIS and A. N. MARGIORIS 413

Mu-opioid receptor is involved in β-endorphin-induced feeding in goldfish.
DE PEDRO, N., M. V. CÉSPEDES, M. J. DELGADO and M. ALONSO–BEDATE 421

POMC-related products in the intermediate pituitary of the amphibian, *Bufo marinus*: Differential subcellular processing in the Golgi and secretory granules.
STEVESON, T. C. and R. M. DORES 425

Modulation of CRF-R1 mRNA in rat anterior pituitary by dexamethasone: Correlation with POMC mRNA.
ZHOU, Y., R. SPANGLER, K. S. LAFORGE, C. E. MAGGOS, A. HO and M. J. KREEK 435

Systemic nitroglycerin activates peptidergic and catecholaminergic pathways in rat brain.
TASSORELLI, C. and S. A. JOSEPH 443

Specificity of proteolysis inhibitors in rabbit plasma.
MARINI, M., A. URBANI, L. BONGIORNO, E. GILARDI and L. G. RODA 451

Adrenotensin: An adrenomedullin gene product contracts pulmonary blood vessels.
GUMUSEL, B., J.-K. CHANG, Q. HAO, A. HYMAN and H. LIPPTON 461

The interaction of vasopressin and the photic oscillator in circadian rhythms.
MURPHY, H. M., C. H. WIDEMAN and G. R. NADZAM 467

Evidence for expression of vasopressin V_2 receptor mRNA in human lung.
FAY, M. J., J. DU, X. YU and W. G. NORTH 477

Several roles of CCK_A and CCK_B receptor subtypes in CCK-8-induced and LiCl-induced taste aversion conditioning.
MOSHER, J. T., M. F. JOHNSON, L. S. BIRKEMO and G. N. ERVIN 483

Locations and molecular forms of gastrin-releasing peptide-like immunoreactive entities in ovine pregnancy.
XIAO, Q., J. R. G. CHALLIS, M. FRASER, M. E. WLODEK, G. D. THORBURN, F. CUTTITA, D. J. HILL, S. ST-PIERRE, E. R. SPINDEL and T. J. McDONALD ... 489

Amylin mobilizes $[Ca^{2+}]_i$ and stimulates the release of pancreatic digestive enzymes from rat acinar AR42J cells: Evidence for an exculsive receptor system of amylin.
HUANG, Y., J. E. FISCHER and A. BALASUBRAMANIAM 497

Immunohistochemical identification and effects of atrial natriuretic peptide, pancreastatin, leucine-enkephalin, and galanin in the porcine pancreas.
ADEGHATE, E., ZS. EMBER, T. DONÁTH, D. J. PALLOT and J. SINGH 503

Peripherally administered calcitonin gene-related peptide decreases food intake in mice.
MORLEY, J. E., S. A. FARR and J. F. FLOOD 511

Neuropeptide Y blocks and reverses interleukin-1β-induced anorexia in rats.
SONTI, G., S. E. ILYIN and C. R. PLATA–SALAMÁN 517

Endothelin receptor synthetic *N*-terminal fragment interacts with the receptor itself.
MENDRE, C., D. HAMROUN, L. DUPOIRIEUX, B. CALAS and C. CHEVILLARD 521

Production of [Asn^1,Val^5]angiotensin II and [Asp^1,Val^5]angiotensin II in kallikrein-treated trout plasma (T60K).
CONLON, J. M., K. YANO and K. R. OLSON 527

Isolation and cardiovascular activity of a second bradykinin-related peptide ([Arg^0,Trp^5,Leu^8]bradykinin) from trout.
CONLON, J. M., J.-C. LE MEVEL, D. CONKLIN, L. WEAVER, D.W. DUFF and K. R. OLSON 531

Intravenous NPY(27–36)-D decreases cardiac output in conscious Sprague–Dawley rats.
ROSCOE, A. K., J. NYCE and W. R. WOOLES 539

Review

Peptides and growth factors in non-small cell lung cancer.
MOODY, T. W. 545

Brief Communications

H-Lys-Arg-Asn-Lys-Asn-Asn-OH is the minimal active structure of oxyntomodulin.
CARLES–BONNET, C., J. MARTINEZ, C. JARROUSSE, A. AUMELAS, H. NIEL and D. BATAILLE 557

The effect of human calcitonin gene-related peptide on eosinophil chemotaxis in the rat airway.
BELLİBAŞ, S. E. 563

CONTENTS VOLUME 17, NUMBER 4, 1996

Articles

Exchange of W^{39} by A within the *N*-terminal extracellular domain of the GLP-1 receptor results in a loss of receptor function.
VAN EYLL, B., B. GÖKE, A. WILMEN and R. GÖKE 565

Galanin is a potent inhibitor of glucagon-like peptide-1 secretion from rat ileum.
HERRMANN–RINKE, C., D. HÖRSCH, G. P. McGREGOR and B. GÖKE 571

Relationships between hypothalamic neuropeptide Y and food intake in the lactating rat.
PICKAVANCE, L., S. DRYDEN, D. HOPKINS, C. BING, H. FRANKISH, Q. WANG, R. G. VERNON and G. WILLIAMS 577

Gastrin partially mediates insulin-induced acid secretion in dogs.
KOVACS, T. O. G., K. C. K. LLOYD and J. H. WALSH 583

Behavioral effects of amylin injected intracerebroventricularly in the rat.
CLEMENTI, G., C. VALERIO, I. EMMI, A. PRATO and F. DRAGO 589

Individual differences in the feeding response to CCK_B antagonists: Role of the nucleus accumbens.
SILLS, T. L. and F. J. VACCARINO 593

The in vivo metabolism of cholecystokinin (CCK-8) is essentially ensured by aminopeptidase A.
MIGAUD, M., C. DURIEUX, J. VIERECK, E. SOROCA–LUCAS, M.-C. FOURNIÉ–ZALUSKI and B. P. ROQUES 601

Enterostatin in gut endocrine cells—immunocytochemical evidence.
SÖRHEDE, M., C. ERLANSON–ALBERTSSON, J. MEI, T. NEVALAINEN, A. AHO and F. SUNDLER 609

Nitric oxide synthesis inhibition attenuates behavioral actions of neuropeptide FF.
MALIN, D. H., J. R. LAKE, J. A. JONES, J. MOREL, W. D. MOON, B. P. CORBIT, D. A. SMITH, A. E. CLAUNCH, D. KACHER, P. A. STEVENS and S. L. WEBB ... 615

Nitric oxide synthase inhibition attenuates tolerance to morphine but not to [D-Ala^2,Glu^4]deltorphin II, a δ_2-opioid receptor agonist in mice.
ZHAO, G.-M. and H. N. BHARGAVA 619

Effect of low pH treatment on opioid peptides binding to their receptors and functional coupling of G-proteins to adenylyl cyclase in the rat spinal cord.
REDDY, P. L. and H. N. BHARGAVA 625

Distribution of opioid peptide receptors in muscles of lean and obese-diabetic mice.
EVANS, A. A. L. and M. E. SMITH 629

Vasorelaxation by casomokinin L, a derivative of β-casomorphin and casoxin D, is mediated by NK_1 receptor.
FUJITA, H., H. SUGANUMA, H. USUI, K. KURAHASHI, R. NAKAGIRI, R. SASAKI and M. YOSHIKAWA 635

Modulation of pain perception in man by a vasopressin analogue.
POHL, J., H. ARNOLD, A. SCHULZ, B. M. PAUSE, H. M. SCHULTE and G. FEHM–WOLFSDORF 641

Ontogeny of proopiomelanocortin posttranslational processing in the ovine fetal pituitary.
SAOUD, C. J. and C. E. WOOD 649

NF-κB transcription factor subunits in rat brain: Colocalization of p65 and α-MSH.
JOSEPH, S. A., C. TASSORELLI, A. V. PRASAD and E. LYND–BALTA 655

Neuropeptides stimulate tyrosine phosphorylation and tyrosine kinase activity in small cell lung cancer cell lines.
TALLETT, A., E. R. CHILVERS, A. C. MACKINNON, C. HASLETT and T. SETHI 665

The neuropeptide α-MSH has specific receptors on neutrophils and reduces chemotaxis in vitro.
CATANIA, A., N. RAJORA, F. CAPSONI, F. MINONZIO, R. A. STAR and J. M. LIPTON 675

An in vitro investigation of the effects of the ACTH/MSH(4–9) analogue, Org 2766, on guinea pig medial vestibular nucleus neurons.
GILCHRIST, D. P. D., C. L. DARLINGTON and P. F. SMITH 681

Angiotensin II blockade of long-term potentiation at the perforant path–granule cell synapse in vitro.
ARMSTRONG, D. L., E. A. GARCIA, T. MA, B. QUINONES and M. J. WAYNER 689

Increased non-angiotensin II [^{125}I]CGP 42112 binding in rat carotid artery after balloon injury.
VISWANATHAN, M., O. JÖHREN, A. M. DE OLIVEIRA and J. M. SAAVEDRA ... 695

Heterogeneity of motilin receptors in the gastrointestinal tract of the rabbit.
POITRAS, P., P. MILLER, M. DICKNER, Y. K. MAO, E. E. DANIEL, S. ST-PIERRE and L. TRUDEL 701

Proteases involved in the metabolism of angiotensin II, bradykinin, calcitonin gene-related peptide (CGRP), and neuropeptide Y by vascular smooth muscle cells.
MENTLEIN, R. and T. ROOS 709

Review

Neuropeptide genes: Targets of activity-dependent signal transduction.
MACARTHUR, L. and L. EIDEN 721

Brief Communications

Effect of PG-SPI and PG-KII, two novel and natural tachykinins, on salivary secretion in the rat.
BROCCARDO, M., G. IMPROTA, A. BRANDONI and A. TABACCO 729

Intravenous β-endorphin administration fails to alter hypothalamic blood flow in rats expressing normal or reduced nitric oxide synthase activity.
BENYÓ, Z., C. SZABÓ, M. H. VELKEI, B. BOHUS, M. WAHL and P. SÁNDOR .. 733

CONTENTS VOLUME 17, NUMBER 5, 1996

Articles

Biochemical properties of the angiotensin-converting-like enzyme from the leech *Theromyzon tessulatum.*
LAURENT, V. and M. SALZET 737

Potent pheromonotropic/myotropic activity of a carboranyl pseudotetrapeptide analogue of the insect pyrokinin/PBAN neuropeptide family administered via injection or topical application.
NACHMAN, R. J., P. E. A. TEAL, P. A. RADEL, G. M. HOLMAN and R. L. ABERNATHY 747

Purification, primary structure, and neuronal localization of cerebral peptide 1 from *Aplysia.*
PHARES, G. A. and P. E. LLOYD 753

Pronociceptive effects of the neuropeptide, nociceptin, in the land snail, *Cepaea nemoralis.*
KAVALIERS, M. and T. S. PERROT–SINAL 763

Anti-somatostatin antisera, but neither a somatostatin agonist (octreotide) nor antagonist (CYCAM), attenuates hyperalgesia in the rat.
TRAUB, R. J. and D. BROZOSKI 769

Cholecystokinin depolarizes neurons of cat pancreatic ganglion.
MA, R. C. and J. H. SZURSZEWSKI 775

Effect of the *C*-terminal tetrapeptide amide of gastrin (CCK-4) and pancreatic polypeptide on gastrointestinal electrical activity in the conscious miniature pig.
WECHSUNG, E. and A. HOUVENAGHEL 785

Proinsulin cleaved by furin is processed to chromatographically mature insulin by carboxypeptidases in nonneuroendocrine cells.
NISHIGORI, T., M. YANAGITA and T. TAKEUCHI 789

Assessment of feeding response of tumor-bearing rats to hypothalamic injection and infusion of neuropeptide Y.
CHANCE, W. T., A. BALASUBRAMANIAM, H. THOMPSON, B. MOHAPATRA, J. RAMO and J. E. FISCHER 797

Differential VIP and VIP_1 receptor gene expression in rat thymocyte subsets.
DELGADO, M., C. MARTÍNEZ, J. LECETA, E. GARRIDO and R. P. GOMARIZ .. 803

Vascular effects and cyclic AMP production produced by VIP, PHM, PHV, PACAP-27, PACAP-38, and NPY on rabbit ovarian artery.
YAO, W., S. P. SHEIKH, B. OTTESEN and J. C. JØRGENSEN 809

The effect of vasoactive intestinal peptide (VIP) on mast cell invasion/degranulation in testicular interstitium of immobilized + cold stressed and β-endorphin-treated rats.
TUNÇEL, N., F. GÜRER, E. ARAL, K. UZUNER, Y. AYDIN and C. BAYÇU 817

The *C*-terminus ends of secretin and VIP interact with the *N*-terminal domains of their receptors.
GOURLET, P., J.-P. VILARDAGA, P. DE NEEF, M. WAELBROECK, A. VANDERMEERS and P. ROBBERECHT 825

Peptide T prevents NBM lesion-induced cortical atrophy in aged rats.
SOCCI, D. J., C. B. PERT, M. R. RUFF and G. W. ARENDASH 831

Characterization of neurokinin type 1 receptor in canine small intestinal muscle.
MAO, Y. K., Y. F. WANG and E. E. DANIEL 839

Mapping of α-melanocyte-stimulating hormone-like immunoreactivity in the cat diencephalon.
COVEÑAS, R., M. DE LEÓN, J. A. NARVÁEZ, G. TRAMU, J. A. AGUIRRE and S. GONZÁLEZ–BARÓN 845

Adrenomedullin stimulates steroid secretion by the isolated perfused rat adrenal gland in situ: Comparison with calcitonin gene-related peptide effects.
MAZZOCCHI, G., F. MUSAJO, G. NERI, G. GOTTARDO and G. G. NUSSDORFER 853

Review

The Brown Norway rats and the kinin system.
DAMAS, J. 859

Brief Communications

Nociceptin in vitro biotransformation in human blood.
YU, J., B. T. CHAIT, L. TOLL and M. J. KREEK 873

Calcitonin gene-related peptide (CGRP) induces more potent vasorelaxation in the resistance portion than in the conduit portion of mesenteric arteries in humans.
MIYAUCHI, T., Y. TOMOBE, T. ISHIKAWA, K. GOTO and Y. SUGISHITA 877

Biochemical characterization of mouse liver IBE_1-amide immunoreactivity: Limitations of antibody-based approaches for verification of peptide expression.
QUINN, K. A., E. J. UNSWORTH, M.-J. MILLER, J. L. MULSHINE and F. CUTTITTA 881

Intracerebroventricular enterostatin stimulates food intake in non-food-deprived rats.
RICE, H. B. and R. L. CORWIN 885

CONTENTS VOLUME 17, NUMBER 6, 1996

Articles

Identification of proxenin as a precursor of the peptide xenin with sequence homology to yeast and mammalian coat protein α.
HAMSCHER, G., H. E. MEYER and G. E. FEURLE 889

EM523L, a nonpeptide motilin agonist, stimulates gastric emptying and pancreatic polypeptide secretion.
OKANO, H., A. INUI, N. UENO, S. MORIMOTO, A. OHMOTO, M. MIYAMOTO, N. AOYAMA, Y. NAKAJIMA, S. BABA and M. KASUGA 895

Effect of motilin on gastrointestinal myoelectric activity in conscious rabbits.
GUERRERO–LINDNER, E., M. P. ARRUEBO, M. D. MURILLO and M. A. PLAZA 901

Gastrin-releasing peptide mobilizes calcium from intracellular stores in HIT-T15 cells.
KARLSSON, S. and B. AHRÉN 909

High concentrations of cholecystokinin octapeptide suppress protein kinase C activity in guinea pig pancreatic acini.
KIMURA, T., T. HONDA, T. HIGASHI and J. KONISHI 917

Effects of various peptides on isolated rabbit lower esophageal sphincter.
KOHJITANI, A., J. SHIRAKAWA, S. OKADA and H. OBARA 927

Galanin modulates sphincter of Oddi function in the Australian brush-tailed possum.
BAKER, R. A., T. G. WILSON, R. T. A. PADBURY, J. TOOULI and G. T. P. SACCONE 933

Differential effects of the 5-$HT_{1B/2C}$ receptor agonist *m*CPP and the 5-HT_{1A} agonist flesinoxan on hypothalamic neuropeptide Y in the rat: Evidence that NPY may mediate serotonin's effects on food intake.
DRYDEN, S., Q. WANG, H. M. FRANKISH and G. WILLIAMS 943

Mammalian bombesin-like peptides suppress sham drinking of salt by sodium-deficient rats.
FLYNN, F. W. 951

The opioid peptide DAMME modulates histamine's content in gastric mucosa of the rat.
SPERONI, E., P. GOVONI, S. GUIZZARDI and S. FERRI 957

Opioid receptor types for endogenous enkephalin in the thoracic ganglion of the crab, *Carcinus maenas*.
HANKE, J., A. WILLIG and P. P. JAROS 965

Production and characterization of site-directed antibodies against dermorphin and dermorphin-related peptides.
CUCUMEL, K., I. GARREAU, J. MERY, D. MOINIER, A. MANSOUR, H. AKIL and A. CUPO 973

Differential biotransformation of dynorphin A(1–17) and dynorphin A(1–13) peptides in human blood, ex vivo.
CHOU, J. Z., B. T. CHAIT, R. WANG and M. J. KREEK 983

Receptor inactivation by dye–neuropeptide conjugates: 1. The synthesis of Cys-containing dye–neuropeptide conjugates.
FEIGENBAUM, J. J., M. D. CHOUBAL, K. PAYZA, J. R. KANOFSKY and D. S. CRUMRINE 991

Truncation studies of α-melanotropin peptides identify tripeptide analogues exhibiting prolonged agonist bioactivity.
HASKELL–LUEVANO, C., T. K. SAWYER, S. HENDRATA, C. NORTH, L. PANAHINIA, M. STUM, D. J. STAPLES, A. M. DE LAURO CASTRUCCI, M. E. HADLEY and V. J. HRUBY 995

In vitro and in vivo biological activities of PG-KII, a novel kassinin-like peptide from the skin of the Australian frog, *Psudophryne güntheri*.
IMPROTA, G., M. BROCCARDO, C. SEVERINI and V. ERSPAMER 1003

Effects of captopril and Icatibant on bradykinin (BK) and des[Arg^9]BK in carrageenan-induced edema.
DÉCARIE, A., A. ADAM and R. COUTURE 1009

Streptozotocin-induced diabetes is associated with altered expression of peptide-encoding mRNAs in rat sensory neurons.
RITTENHOUSE, P. A., J. E. MARCHAND, J. CHEN, R. M. KREAM and S. E. LEEMAN 1017

Atrial natriuretic peptide (ANP)-induced inhibition of glucagon secretion: Mechanism of action in isolated rat pancreatic islets.
VERSPOHL, E. J. and BERNEMANN, I. K. 1023

Natriuretic peptides in water-deprived and in salt-loaded rats.
MAKINO, Y., N. MINAMINO, E. KAKISHITA, K. KANGAWA and H. MATSUO 1031

Processing of kaliuretic peptide in human plasma and serum.
OVERTON, R. M. and D. L. VESELY 1041

Comparative effects of endothelin and neurotensin on intrinsic cardiac neurons in situ.
ARMOUR, J. A. 1047

Neuropeptide Y in hamster limbic nuclei: Lack of colocalization with substance P.
BURROUGHS, L. F., J. M. FIBER and J. M. SWANN 1053

Review

Melanotropic peptides in the mammalian brain: The melanin-concentrating hormone.
KNIGGE, K. M., D. BAXTER–GRILLO, J. SPECIALE and J. WAGNER 1063

Brief Communications

Kinetics and mechanism of the cleavage of the peptide bond next to asparagine.
CAPASSO, S., L. MAZZARELLA, G. SORRENTINO, G. BALBONI and A. J. KIRBY 1075

Novel synthetic peptides from the *C*-terminal heparin binding domain of fibronectin with heparin binding activity.
MOHRI, H., K. KATOH, S. MOTOMURA and T. OKUBO 1079

CONTENTS VOLUME 17, NUMBER 7, 1996

Articles

Enzymatic cleavage of thymopoietin oligopeptides by pancreatic and intestinal brush-border enzymes.
HEIZMANN, J., P. LANGGUTH, A. BIBER, R. OSCHMANN, H. P. MERKLE and S. WOLFFRAM 1083

Development of specific anti-thymosin β_{10} antipeptide antibodies for application in immunochemical techniques.
LEONDIADIS, L., E. LIVANIOU, I. VASSILIADOU, N. FERDERIGOS, D. S. ITHAKISSIOS and G. P. EVANGELATOS 1091

Pituitary adenylate cyclase-activating polypeptide (PACAP-38) stimulates rat peritoneal macrophage functions.
DELGADO, M., E. GARRIDO, M. DE LA FUENTE and R. P. GOMARIZ 1097

Novel neuropeptide Y processing in human cerebrospinal fluid from depressed patients.
EKMAN, R., P. JUHASZ, M. HEILIG, H. ÅGREN and C. E. COSTELLO 1107

Synthesis, structure, and antagonistic properties of des-Asn^{29}[D-Trp^{28,32}]NPY(27–36).
BALASUBRAMANIAM, A., W. ZHAI, Z. TAO, Y. HUANG, J. E. FISCHER, P. EDEN, J. TAYLOR, L. KAR, S. D. SAMARASINGHE and M. E. JOHNSON 1113

Pharmaco-ontogenic modulation of feeding by oxytocin, bombesin, and their antagonists.
MERALI, Z. and H. PLAMONDON 1119

Nicotine blocks angiotensin II inhibition of LTP in the dentate gyrus.
WAYNER, M. J., D. L. ARMSTRONG and C. F. PHELIX 1127

Bioactive angiotensin(1–8) is the main component of angiotensin II immunoreactivity in human follicular fluid.
DELBAERE, A., Y. ENGLERT, P. J. M. BERGMANN, E. DE PREZ, J.-M. GIOT and M. DESCHODT–LANCKMAN 1135

Relaxation of human temporal artery by endothelin ET_B receptors.
LUCAS, G. A., L. R. WHITE, R. JUUL, J. CAPPELEN, J. AASLY and L. EDVINSSON 1139

Pharmacological characterization of the ET_A receptor in the vascular smooth muscle comparing its analogous distribution in the rat mesenteric artery and in the arterial mesenteric bed.
DONOSO, M. V., H. FAUNDEZ, G. ROSA, A. FOURNIER, L. EDVINSSON and J. P. HUIDOBRO–TORO 1145

Processing of long-acting natriuretic peptide and vessel dilator in human plasma and serum.
OVERTON, R. M. and D. L. VESELY 1155

A role for B_1 and B_2 kinin receptors in the modulation of T-kininogen during the acute phase response of inflammation.
RAYMOND, P., A. DÉCARIE, F. LANTIN, R. RAUT, R. MORAIS, R. COUTURE and A. ADAM 1163

Bradykinin decreases T-kininogen synthesis in a rat hepatoma cell line: Evidence of bradykinin B_2-type receptors.
RAYMOND, P., M. BOUVIER, G. DRAPEAU, C. BLAIS, JR., R. MORAIS and A. ADAM 1171

Effect of photoperiod on hypothalamic and anterior pituitary tachykinins of male Siberian hamsters during development.
RAO, J. N., L. DEBELJUK and A. BARTKE 1177

The involvement of nitric oxide (NO) in the CGRP-induced behavior of rats.
KOVÁCS, A., G. TELEGDY, G. TÓTH and B. PENKE 1183

Calcitonin gene-related peptide in the hamster seminal vesicle and coagulating gland: An immunohistochemical, autoradiographical, and pharmacological study.
AFONSO, F., A. M. SEBASTIÃO, M. S. PINHO, P. FERNANDES, J. A. RIBEIRO, L. R. MATA and S. GULBENKIAN 1189

The neuropeptide thyrotropin-releasing hormone modulates GABAergic synaptic transmission on pyramidal neurones of the rat hippocampal slice.
STOCCA, G. and A. NISTRI 1197

Synaptic innervation of enkephalinergic neurons by axon terminals immunoreactive to dopamine-β-hydroxylase in the rat area postrema.
GUAN, J.-L., Q.-P. WANG and Y. NAKAI 1203

Stimulatory effect of zinc-chelating dipeptide on deoxyribonucleic acid synthesis in osteoblastic MC3T3-E1 cells.
YAMAGUCHI, M. and T. MATSUI 1207

Receptor inactivation by dye–neuropeptide conjugates: 2. Characterization of the quantum yield of singlet oxygen generated by irradiation of dye–neuropeptide conjugates.
FEIGENBAUM, J. J., M. D. CHOUBAL, D. A. CRUMRINE and J. R. KANOFSKY 1213

***N*-terminal 10- and 12-kDa POMC fragments stimulate differentiation of lactotrophs.**
VAN BAEL, A., V. VANDE VIJVER, B. DEVREESE, J. VAN BEEUMEN and C. DENEF 1219

Impact of receptor downregulation on clearance of two human EGFs with different receptor binding activity.
SIZEMORE, N., D. S. WRIGHT, W. T. MUELLER and B.-S. KUO 1229

Study of the binding of motilin to the membranes of enterocytes from rabbit jejunum.
ALCALDE, A. I., M. A. PLAZA and R. MARCO 1237

Review

C-type natriuretic peptide.
BARR, C. S., P. RHODES and A. D. STRUTHERS 1243

Brief Communications

Sleep and signs of attention during 3 months of intranasal vasopressin: A pilot study in two elderly subjects.
PERRAS, B., M. MÖLLE, J. BORN and H. L. FEHM 1253

Real-time evaluation of somatostatin subtype 2 receptor activity employing the technique of cytosensor microphysiometry.
TAYLOR, J. E., R. NELSON and C.-W. WOON 1257

CONTENTS VOLUME 17, NUMBER 8, 1996

Articles

Could Dual G-Protein Coupling Explain [D-Met^2]FMRFamide's Mixed Action In Vivo?
RAFFA, R. B. and D. J. STONE, JR. 1261

Importance of the proline residue to the functional activity and metabolic stability of the nematode FMRFamide-related peptide, KPNFIRFamide (PF4).
KUBIAK, T. M., A. G. MAULE, N. J. MARKS, R. A. MARTIN and J. R. WIEST ... 1267

Receptor inactivation by dye–neuropeptide conjugates. 3. Comparative binding of dye–neuropeptide conjugates to FMRFamide receptors of *Helix aspersa* and *Loligo pealei*.
FEIGENBAUM, J. J., M. D. CHOUBAL, D. S. CRUMRINE, J. R. KANOFSKY and K. PAYZA 1279

Synthesis and biological activity of adipokinetic hormone analogues modified at the *C*-terminus.
LEE, M. J., G. J. GOLDSWORTHY, C. P. POULOS and A. VELENTZA 1285

A proenkephalin A-derived peptide analogous to bovine adrenal peptide E from frog brain: Purification, synthesis, and behavioral effects.
CONLON, J. M., N. CHARTREL, J. LEPRINCE, C. SUAUDEAU, J. COSTENTIN and H. VAUDRY 1291

PC12 cells show immunoreactivity to a number of proteins and peptides, including vasostatin.
CUNNINGHAM, R. T., K. M. POGUE, W. J. CURRY, C. F. JOHNSTON and K. D. BUCHANAN 1297

Effect of α-MSH upon cyclic AMP levels induced by the glutamatergic agonists NMDA, quisqualic acid, and kainic acid.
DE BARIOGLIO, S. R. and M. I. BRITO 1303

CCK-58: A novel reagent for studying the regulation of cholecystokinin bioactivity.
RAYBOULD, H. E. and J. R. REEVE, JR. 1307

Effects of cholecystokinin octapeptide (CCK-8) on food intake in adult and aged rats under different feeding conditions.
VOIGT, J.-P., J. P. HUSTON, M. VOITS and H. FINK 1313

The histaminergic, but not the serotoninergic, system mediates amylin's anorectic effect.
LUTZ, T. A., E. DEL PRETE, B. WALZER and E. SCHARRER 1317

Identification of the site of glycation of human insulin.
O'HARTE, F. P. M., P. HØJRUP, C. R. BARNETT and P. R. FLATT 1323

Immunochemical study of galanin in the cat digestive tract and autonomic ganglia.
PHILIPPE, C., N. CLERC, B. MAZET and J. P. NIEL 1331

BW1023U90: A new GRP receptor antagonist for small-cell lung cancer cells.
MOODY, T. W., R. VENUGOPAL, V. HU, Y. GOZES, J. MCDERMED and J. J. LEBAN 1337

Unexpected high density of neuropeptide Y Y_1 receptors in the guinea pig spleen.
GEHLERT, D. R. and S. L. GACKENHEIMER 1345

Neuropeptide Y receptor agonists: Multiple effects on spontaneous activity in the paraventricular hypothalamus.
ARAMAKIS, V. B., B. G. STANLEY and J. H. ASHE 1349

Ovarian hormones alter the behavioral response of the medial preoptic anterior hypothalamus to arginine-vasopressin.
ALBERS, H. E., M. KAROM and D. C. WHITMAN 1359

Angiotensin III and IV activation of the brain AT_1 receptor subtype in cardiovascular function.
WRIGHT, J. W., A. J. BECHTHOLT, S. L. CHAMBERS and J. W. HARDING 1365

Bradykinin dilates rat middle cerebral artery and its large branches via endothelial B_2 receptors and release of nitric oxide.
GÖRLACH, C. and M. WAHL 1373

Proadrenomedulln NH_2-terminal 20 peptide has cAMP-mediated vasodilator activity in the mesenteric vascular bed of the cat.
CHAMPION, H. C., C. C. ERICKSON, III, M. L. SIMONEAUX, T. J. BIVALACQUA, W. A. MURPHY, D. H. COY and P. J. KADOWITZ 1379

Autoradiographic mapping of pulmonary NK_1 and NK_2 tachykinin receptors and changes after repeated antigen challenge in guinea pigs.
MAK, J. C. W., M. ASTOLFI, X.-L. ZHANG, S. EVANGELISTA, S. MANZINI and P. J. BARNES 1389

Substance P and neurokinin A metabolism by cultured human skeletal muscle myocytes and fibroblasts.
RUSSELL, J. S., H. CHI, L. E. LANTRY, R. E. STEPHENS and P. E. WARD 1397

Enhancement of phagocytosis by calcitonin gene-related peptide (CGRP) in cultured mouse peritoneal macrophages.
ICHINOSE, M. and M. SAWADA 1405

Effects of morphine-3-glucuronide on the antinociceptive activity of peptide and nonpeptide opioid receptor agonists in mice.
BIAN, J.-T. and H. N. BHARGAVA 1415

Review

Endogenous opiates: 1995.
OLSON, G. A., R. D. OLSON and A. J. KASTIN 1421

Brief Communication

Induction of histamine release from rat mast cells by bradykinin analogues.
VIETINGHOFF, G., I. PAEGELOW and S. REISSMANN 1467

Contents, Author Index, and Keyword Index to Volume 17 I